


VIKING


TEARDROPS




A Berkshire Hathaway company.




ESCAPE 9.0 TD
GARAGE-ABLE!



EXPRESS 9.0 TD
GARAGE-ABLE!/SIDE A/C




EXPLORE 9.0 TD
GARAGE-ABLE!/SIDE A/C




12.0 TD PREMIER
UNDER 2,500 LBS.

NEW!



12.0 TD PRO
UNDER 2,500 LBS./PULL-OUT KITCHEN



12.0 TD MAX
UNDER 2,500 LBS.

VIKING	9.0 TD			12.0 TD		
	ESCAPE	EXPRESS	EXPLORE	PREMIER	MAX	PRO
Interior Box Size	10'-2"	10'-2"	10'-2"	12'	12'	12'
Travel Length	14'-2"	14'-2"	14'-2"	17'-5"	17'-5"	17'-5"
Travel Width	6'-10"	6'-10"	6'-10"	7'-1"	7'-1"	7'-1"
Travel Height	6'-5"	6'-5"	6'-5"	7'-5"	7'-5"	7'-5"
Exterior Open Length	13'	13'	13'	13'-11"	13'-11"	13'-11"
Interior Open Height	6'-4"	6'-4"	6'-4"	6'-4"	6'-4"	6'-4"
Sleeping Capacity	2	2	2	3	3	3
Front Sleeping Area	54" x 72"	54" x 72"	54" x 72"	60" x 74"	54" x 74"	54" x 74"
Gauchito	N/A	N/A	N/A	74"	64"	64"
Radial Tire Size	ST235/75R15	ST235/75R15	ST235/75R15	ST235/75R15	ST235/75R15	ST235/75R15
Tire Load Range	D	D	D	D	D	D
Hitch Weight (lbs.)	150	172	245	220	220	340
Axle Weight (lbs.)	2,000	2,000	2,000	3,500	3,500	3,500
UVW (lbs.)	1,459	1,587	1,724	TBD	2,164	2,493
Cargo Capacity (lbs.)	691	585	521	TBD	1,556	1,347
GVWR (lbs.)	2,150	2,172	2,245	3,720	3,720	3,840
Coupler Size	2"	2"	2"	2-5/16"	2-5/16"	2-5/16"
Water Tank Size (Gal.)	N/A	27	27	27	27	27



* Standard Features. *Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds.

FEATURES

VIKING	9.0 TD			12.0 TD		
	ESCAPE	EXPRESS	EXPLORE	PREMIER	MAX	PRO
EXTERIOR						
E-Coated Tubular Steel Frame	•	•	•	•	•	•
Tire Sizes (Radius)	15"	15"	15"	15"	15"	15"
Heavy-Duty Tongue Jack	•	•	•	•	•	•
Wide Trac Ultra Lube Spring Axle	•	•	•	•	•	•
Electric Brakes	•	•	•	•	•	•
Spare Tire & Carrier	•	•	•	•	•	•
Steel Rims	•	•	•	•	•	•
(4) Heavy Duty Scissor Style Jacks	•	•	•	•	•	•
Laminated Fiberglass Roof	•	•	•	•	•	•
Automotive Grade Metal	•	•	•	•	•	•
LED Exterior Lights	•	•	•	•	•	•
One-Piece Screen Door	•	•	•	•	•	•
Aqua-Shield Tenting Material	•	•	•	•	•	•
Exterior Wall Mount LP Griddle	OPT	OPT	STANDARD	OPT	OPT	STANDARD
Flex Rod Tech Add-A-Room	OPT	OPT	OPT	OPT	OPT	OPT
Patio Light	•	•	•	•	•	•

INTERIOR						
LED Interior Courtesy Lights (Floor)		•	•	•	•	•
100% Adhesion Residential Grade Linoleum	•	•	•	•	•	•
Residential Laminated Countertops	•	•	•	•	•	•
Ultra Comfort 4" High Density Cushions				•	•	•
Deep Bowl Acrylic Sink		•	•	•	•	•
2-Burner High Output Range					•	•
12V On Demand Water Pump		•	•	•	•	•
12V LED Interior Lights	•	•	•	•	•	•
5,000 BTU Air Conditioner	N/A	STANDARD	STANDARD	N/A	N/A	N/A
13,500 BTU Air Conditioner	N/A	N/A	N/A	OPT	OPT	OPT



6'-4" INTERIOR HEIGHT

• A teardrop trailer you can stand up in!



BATH PACKAGE

- Modular Cassette Potti/ Shower Combo
- 12.0 Pro & 12.0 Premier



ONE-PIECE 5/8" FLOOR STRUCTURE

Viking's one-piece 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.



CHARGING STATION

SPECIFICATIONS

9.0 ESCAPE PACKAGES	9.0 EXPLORE PACKAGES	9.0 EXPRESS PACKAGES	12.0 MAX, PREMIER, PRO PACKAGES
9.0 ESCAPE PACKAGE Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20K BTU Furnace, 20 lb. LP Tank, Outside LP Quick Connect	9.0 EXPLORE PACKAGE Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20# LP Tank, Outside LP Quick Connect, 12VDC/110VAC Portable Refer/Freezer, 6 Gal. Water Heater, 20K BTU Furnace, Sink & Faucet, Water Pump, Water Tank, Exterior Hot & Cold Shower, A/C, Campside Pull-Out Kitchen w/Griddle	9.0 EXPRESS PACKAGE Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20# LP Tank, Outside LP Quick Connect, 12 V 1.7 cu. ft. Refer, 6 Gal. Water Heater, 20K BTU Furnace, Sink & Faucet, Water Pump, Water Tank, Exterior Hot & Cold Shower, Air Conditioner	12.0 ESSENTIALS PACKAGE Interspring Mattress, LED Interior Lights, Roof Rack, Tinted Windows, Exterior Storage, Spare Tire & Carrier, Frame Mounted Stabilizer Jacks, 20# LP Tank, Outside LP Quick Connect, 12 V 1.7 cu. ft. Refer, 6 Gal. Water Heater, 20K BTU Furnace, Sink & Faucet, Water Pump, Water Tank, Exterior Hot & Cold Shower, Microwave (n/a in XL), Campside Pull out Kitchen w/Griddle & 12VDC/110VAC Portable Refer/Freezer (Pro Only), Bunk Beds (XL only)
9.0 ESCAPE POWER PACKAGE 12 Volt Outlet, USB Charging Port, Interior & Exterior 110 V Outlets, 12 Volt Power Fan, 7-Way Hookups, Solar Prep	9.0 EXPLORE POWER PACKAGE 12 Volt Outlet, USB Charging Port, Interior & Exterior 110 V Outlets, 12 Volt Power Fan, 7-Way Hookups, Solar Prep	9.0 EXPRESS POWER PACKAGE 12 Volt Outlet, USB Charging Port, Interior & Exterior 110 V Outlets, 12 Volt Power Fan, 7-Way Hookups, Solar Prep	12.0 POWER PACKAGE 12 Volt Outlet, USB Charging Port, Interior & Exterior 110 V Outlets, 12 Volt Power Fan, 7-Way Hookups, Electronic Roof Actuators



STANDARD ON ALL TEARDROPS EXCEPT
N/A ON 9.0 ESCAPE MODEL

- PACKAGE INCLUDES:**
- 200 WATT SOLAR PANEL W/30 AMP DIGITAL SOLAR CONTROLLER




- PACKAGE INCLUDES:**
- 15" OFF-ROAD TIRES & SPARE
 - FLIPPED AXLE

VIKING


CAMPING TRAILERS



A Berkshire Hathaway company.




1760LS




1706XLS

OPPOSING GAUCHOS



2107LS

VERSATILE SEATING & SLEEPING



2308LS




OPTIONAL BATH PACKAGE



2108ST

OPTIONAL CASSETTE POTTI



2485SST

SPACIOUS SLIDE OUT WITH STANDARD BATH PACKAGE

VIKING	LS MODEL			EPIC	LEGEND	
DIMENSIONS	1706XLS	2107LS	2308LS	1760LS	2108ST	2485SST
Interior Box Size	8'-6"	10'	12'	8'-6"	10'	12'
Travel Length	12'-11"	13'-2"	17'-9"	12'-2"	16'-10"	19'
Travel Height	56"	58"	58"	56"	58"	55"
Exterior Open Length	17'-11"	20'-5"	23'-5"	13'-6"	20'-9"	23'-5"
Interior Open Height	6'-10"	6'-10"	6'-10"	6'-10"	6'-10"	6'-10"
Sleeping Capacity	6	7	8	4	7	6
Front Sleeping Area	48" x 80"	58" x 80"	70" x 80"	58" x 80"	58" x 80"	70" x 80"
Rear Sleeping Area	48" x 80"	54" x 80"	58" x 80"	N/A	58" x 80"	58" x 80"
Dinette Area	N/A	N/A	N/A	N/A	38" x 70"	41" x 74"
"U" Dinette	N/A	N/A	80" x 70"	38" x 102"	N/A	N/A
Lounge Area	(2) 60"	(2) 70"	(2) 70"	N/A	24" x 70"	24" x 70"
Sofa Bed	N/A	N/A	N/A	N/A	34" x 76"	N/A
Radial Tire Size	ST145R12	ST185/80R13	ST185/80R13	ST145R12	ST185/80R13	ST185/80R13
Tire Load Range	E	D	D	E	D	D
Hitch Weight (lbs.)	167	208	223	203	187	296
Axle Weight (lbs.)	1,338	1,576	1,962	1,355	1,667	2,403
UVW (lbs.)	1,642	1,801	2,204	1,577	1,863	2,840
Cargo Capacity (lbs.)	1,255	1,137	1,019	1,65	824	456
GVWR (lbs.)	2,897	2,938	3,223	2,942	2,687	3,296
Coupler Size	2"	2"	2"	2"	2"	2"
Fresh Water Tanks (Gal.)	16	23	23	16	23	23

* Standard Features. *Weights shown are approximate. †Estimated average based on standard build optional equipment. All weights shown are in pounds.



FEATURES

FOUR LAYER INSULATED ROOF
BRACED FOR AIR CONDITIONING

1. ONE-PIECE SEAMLESS FIBERGLASS SKIN
2. LAUAN PLYWOOD UNDERLAYMENT
No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.
3. FOAM INSULATED ROOF STRUCTURE
4. VINYL COATED CEILING
Easy to clean and minimizes interior condensation. Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.




EXCLUSIVE "GLIDE-N-LOCK" CABLE

This exclusive cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place in under 30 seconds. A manual crank is also provided.



INSULATED BUNKENDS

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and bottom
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth



DUAL DRIVE WINCH

The easy-to-use dual drive winch and drill bit, with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



X-CABLE TECHNOLOGY

adds additional stability to the roof and prevents over cranking of the roof

LIMITED WARRANTY

- Lift System **LIFETIME**
- Dexter® Torflex® Axle **10 YEARS**
- Dexter® E-Z Lube® Axle **5 YEARS**
- VRX Vinyl Tent **5 YEARS**
- Roll-out System **5 YEARS**
- Roof Assembly **5 YEARS**

Please refer to www.vikingrv.com for complete warranty information.

SPECIFICATIONS



NOW AVAILABLE

EXTERIOR	LS	EPIC	LEGEND
E-Coated Tubular teal Frame	•	•	•
Dual Drive Winch	•	•	•
Heavy Duty Tongue Jack	•	•	•
Wide Trac Ultra Lube Spring Axle	•	•	•
Electric Brakes	•	•	•
Radial Tires	•	•	•
(4) Heavy Duty Scissor Style Jacks	•	•	•
Goshen Lift System	•	•	•
4-Layer Laminated Seamless Roof	•	•	•
Laminated Insulated Bed Platforms	•	•	•
Automotive Grade Metal	•	•	•
LED Exterior Lights	•	•	•
Diamond Plate Front & Rear Walls	•	•	•
One-Piece Screen Door	•	•	•
Prebraced for A/C	•	•	•
Exterior Wall Mount w/LP Quick Connect	•	•	•
VRX Sectionalized Tent	•	•	•
LED Patio Lights	•	•	•

INTERIOR	LS	EPIC	LEGEND
LED Int. Courtesy Lights (Floor)	•	•	•
Residential Laminated Countertops	•	•	•
Ultra Comfort 4" High Density Cushion	•	•	•
Privacy Drapes	•	•	•
Glide-N-Lock Cable Supported Beds	•	•	•
E-Z Swing Galley w/Drawer (N/A 1706LS)	•	•	•
Deep Bowl Acrylic Sink	•	•	•
2-Burner High Output Range	•	•	•
Bathroom Package (Opt. 2308LS)			•
12V On-Demand Water Pump	•	•	•
Modular Cassette Potti (Opt. 2108ST)			•
Outside Shower		•	•
20,000 BTU Furnace	•	•	•
12V 1.7 Cu. Ft. Refrigerator (N/A 1760)	•	•	•
12V LED Interior Lights	•	•	•
LED Bunk Fan Lights	•	•	•
POPULAR OPTIONS			
13,500 BTU Air Conditioner		LP Gas Griddle w/Bracket	
SOLAR PACKAGE			
200 W with 30 Amp Roof Ramp - Thule			

POWER PACKAGE	ALL MODELS
	12 Volt Outlet, USB Charging Port, Power Converter, Interior & Exterior 110 Volt Power Outlets, 12 Volt Power Fan, 7 Way Hook Ups
ESSENTIALS PACKAGE	LS
	12V 1.7 cu. ft. Refer, 20K BTU Furnace, Frame Mounted Stabilizer Jacks, Awning, Spare Tire & Carrier, Outside LP Quick Connect, 20# LP Tank
ESSENTIALS PACKAGE	EPIC, LEGENDS
	12V 1.7 cu. ft. Refer, 20K BTU Furnace, Frame Mounted Stabilizer Jacks, Awning, Spare Tire & Carrier, Outside LP Quick Connect, 20# LP Tank
ESSENTIALS PACKAGE	1760LS
	Frame Mounted Stabilizer Jacks, Spare Tire & Carrier, Large U-Shaped Goucho/Dinette w/ Storage, Removable Table w/Folding Legs, 20K BTU Furnace, 20 lb. LP Tank, Outside Quick Connect
OFF ROAD PACKAGE <i>OPTIONAL</i>	PACKAGE INCLUDES:
	• 15" OFF-ROAD TIRES & SPARE
	• LENGTH STABILIZING EXTENDED JACKS
	• OFF-ROAD LIFTED AXLE
	• GRAB HANDLE
	• DOUBLE STEP
	AVAILABLE ON ALL MODELS EXCEPT 1706